

NIH RO1 Grant Writing Strategies and New Policies for Review

SF VAMC Research Seminar Series September 29, 2008 Keith Yamamoto 5224 and GH-S5772D 6.8445 yamamoto@medsch.ucsf.edu

Support of biomedical research at US universities


<u>Source</u>	<u>% Total</u>
NIH	72
NSF, DOD, DOA, DOE, NASA	12
HHMI, ACS, other private	11
Industry	5


Research is always something of an adventure. The more freedom it enjoys, the more likely it is to achieve important results.

> National Resources Committee, Research -- A National Resource, 1935

The only possible source for adequate support of our medical schools and medical research is the taxing power of the Federal Government. ...such a program must assure complete freedom for the institutions and the individual scientists in developing and conducting their research work.

Surgeon General Thomas Parran December 1945





Congressional Support for NIH Budget

Proposed <u>doubling</u>, FY 1999-2003 (~15%/year increase)

FY 1998 budget: \$13.6 billion

FY 2003 budget (year 5):

OMB proposal, FY 2003: \$26.5 billion (13.8% increase) Specter-Harkin resolution: \$27.2 billion (vote: 96-4)

FY 2003 budget, signed: \$27.2 billion

FY 2004: 2.9% increase FY 2005: 2.1% increase FY 2006: 0.1% decrease FY 2007: 0.0% increase FY 2008: 1.3% increase

- · ~1% of Federal budget; ~\$95 per citizen
- 83% of NIH budget supports extramural research, all allocated by <u>peer review</u>

NIH Pathway to Independence Award: K99/R00 http://grants2.nih.gov/grants/new_investigators/pathway_independence.htm



Response to NAS Report: Bridges to Independence: Fostering the Independence of New Investigators in Biomedical Research http://fermat.hap.edu/books/030909626X/html/

- · 150-200 awards/yr
- 2 year Mentored Phase: \$90k/yr
- · 3 year Independent Phase: \$249k/yr
- · Noncitizens eligible
- Maintains new investigator status for subsequent RO1 application

NIH Director's New Innovator Award

http://grants.nih.gov/grants/guide/rfa-files/RFA-RM-08-014.html

Launched March 2007

- · For new investigators who have not received R01 grant
- · To support highly innovative projects with potential for exceptionally great impact on biomedical or behavioral science
- 5 years, \$1.5M direct costs
- 31 awards announced September 2008 (2 at UCSF)

NIH Adaptive strategies for tough times

- · No inflationary adjustments for noncompeting renewals
- · Increase number of competing research project grants
- Strengthen support for at-risk scientists
 - new investigators
 - first grant renewals
 - established investigators with little or no current support
- · Ongoing efforts to increase FY09 budget

Enhancing NIH Peer Review: the first full assessment

http://enhancing-peer-review.nih.gov/

June 2007-Feb 2008: Collect information, develop recommendations March-June 2008: Design implementation Sept 2008: Begin implementation


Goals:

- · Review process that motivates top scientists to serve
- · Rating scheme that accurately reflects impact and excellence
- Evaluation/funding policies and mechanisms that serve multiple types of science and scientists
- $\boldsymbol{\cdot}$ $\,$ Periodic review of peer review that maintains excellence and adapts to change

Enhancing NIH Peer Review: initial implementation

http://enhancing-peer-review.nih.gov/

- Engage the best reviewers
 - -- Improve reviewer retention (Jan 2009)
 - -- Enhance reviewer training (May 2009)
 - -- Test virtual reviewing (pilots in 2009)
- Improve quality and transparency of review
 - -- Integer (1-7) scoring of five review criteria (May 2009)
 - -- Score streamlined applications (Jan 2009)
 - -- Shorten and restructure applications (12 pages, aligned w/ criteria, Jan 2010)
- Ensure balanced reviews across fields and career stages; reduce administrative burden
 - -- Consider separate percentiling of new and revised applications, w/ one revision $_{\mbox{\scriptsize limit}}$
 - -- Review like applications together (establish Early Stage Investigator (ESI); consider clustering ESI reviews; consider clustering clinical reviews)



NIH Core Strategic Vision

- Transform medicine and health from a curative to a *preemptive* paradigm
- Support basic research to identify the earliest molecular stages of disease in complex biological systems
- Accelerate translation of findings from the bench to the bedside to the community
- Provide the evidence and knowledge base to allow for a rational transformation of our healthcare system

Research **Translational** Research

Basic Research

National Institutes of Health
A federation of 27 separate Institutes and Centers; one of the agencies of the Public Health
Service, which in turn is part of the US Department of Health and Human Services.

Nineteen Institutes fund biomedical research grants:

National Cancer Institute

National Eye Institute

National Heart, Lung, and Blood Institute

National Human Genome Research Institute

National Institute on Aging National Institute on Alcohol Abuse and Alcoholism

National Institute of Allergy and Infectious Diseases

National Institute of Arthritis and Musculoskeletal and Skin Diseases

National Institute of Biomedical Imaging and Bioengineering

National Institute of Child Health and Human Development

National Institute on Deafness and Other Communication Disorders

National Institute of Dental and Craniofacial Research

National Institute of Diabetes and Digestive and Kidney Diseases

National Institute on Drug Abuse

National Institute of Environmental Health Sciences

National Institute of General Medical Sciences National Institute of Mental Health

National Institute of Neurological Disorders and Stroke National Institute of Nursing Research

Also:

Center for Information Technology

National Center for Complementary and Alternative Medicine

National Center for Research Resources

National Library of Medicine

The Center for Scientific Review (CSR)

CSR oversees referral for the \sim 80,000 NIH Grant Applications submitted per year, and reviews 70% of them in >120 newly reorganized and populated **Study Sections**, which are clustered under 24 recently reorganized Integrated Review Groups (IRGs).

AIDS and Related Research

Behavioral and Biobehavioral Processes

Biochemical Sciences

BCS BDA BPC Biology of Development and Aging Biophysical and Chemical Sciences BST BDCN CVS **Bioengineering Sciences and Technologies** Brain Disorders and Clinical Neuroscience Cardiovascular Sciences

CVS CDF DIG EMNR GGG HEME

Cell Development and Function

Digestive Sciences
Endocrinology, Metabolism, Nutrition and Reproductive Sciences

Genes, Genomes and Genetics

Hematology

IMM IDM

Immunology
Infectious Diseases and Microbiology
Integrative, Functional, and Cognitive Neuroscience
Molecular, Cellular, and Developmental Neuroscience IFCN MDCN

Musculoskeletal, Oral and Skin Sciences Oncological Sciences

Respiratory Sciences

MOSS ONC RES RPHB RUS HOP Risk, Prevention and Health Behavior Renal and Urological Sciences

Health of the Population

Surgical Sciences, Biomedical Imaging, and Bioengineering

NIH RO1 Grants: Investigator-Initiated

Two levels of review:

1. Study Section (committee of expert scientists)

Assess scientific merit

Your contact: Scientific Review Officer (SRO)

2. Institute Council (scientists and nonscientists)

Assess relevance to institute, program portfolio

Your contact: Program Director

How do Study Sections work?

- Application is assigned to Institute, and to IRG, then to a Study Section
- SROs (and Chair) scan abstracts (~75); assess needed expertise
- SRO (and Chair) invite ad hoc members (~30% of total)
- SRO (and Chair) assign applications to members for primary or secondary review (avg. 11) or for reading (avg. 4)
- Applications are distributed to members for reading and preparation of review, identification of potentially 'streamlined' applications
- At Study Section meeting, SRO summarizes procedures, conflict of interest sanctions; identification of 'streamlined' applications
- Each remaining applications is reviewed, discussed and scored; Institute representative is present; members in conflict are not
- Written and oral reviews must comment on each of *five standardized review criteria*; single final score (1.0 5.0; 1.0 is top) is assigned *subjectively*
- Scores for each application are multiplied by 100 and averaged
- SRO prepares summary statement ('pink sheet') for applicant and Institute Council

CRITERIA FOR RATING OF NIH GRANT APPLICATIONS

<u>Each</u> review must address and score (1-7 integer scale) <u>each</u> of the following:

<u>Signiticance</u> [impact]

- address an important problem?
- will scientific knowledge be advanced?
- effect on concepts or methods in this field?

Approach

- experimental design and methods appropriate to aims?
- acknowledge problem areas and consider alternative tactics?

<u>Innovation</u>

- employ novel concepts, approaches or methods?
- •challenge existing paradigms or develop new methodologies?

<u>Investigator</u>

- appropriately trained to carry out work?
- •appropriate work for experience of P.I. and collaborators?

Environment

- contribute to the probability of success?
- evidence of institutional support?

Components of the NIH grant application

Research Plan

Abstract
Specific Aims
Background/Significance
Progress Report/Preliminary Results
Research Design and Methods

Other important stuff

Budget/Budget Justification Consultants/Collaborators

Sections of NIH grant applications, and how to use them to your advantage

- 2 Abstract
 - determines Study Section and Institute assignments; state health/disease relevance here
- 1 Specific Aims

start here: 3-5 aims

4 Background/Significance

set the stage, frame your questions; state impact clearly

3a Progress Report/Preliminary Results

emphasize your expertise, note coworkers

36 Research Design and Methods

organize around Specific Aims; address caveats; highlight innovations

Budget/Budget Justification

breakdown costs (supply \$/researcher/week); justify everything

Consultants/Collaborators

support/noncompetition from mentors; certify sources of materials, expertise

» Be sure to address the five rating criteria!

A strategy for Abstracts (and Specific Aims):

The *long term objectives* of this project are to define mechanisms of transcriptional regulation in metazoans, to understand how a regulatory factor specifies programs of gene expression as a function of developmental, cellular or physiological cues, and to determine operating principles for gene regulatory networks

The *general strategy* is to identify in cell lines and whole organisms target genes that are directly regulated by members of the intracellular receptor (IR) superfamily, which includes receptors for steroids and other small lipophilic ligands. By comparing the regulatory machinery at subsets of those target genes, determinants of selective assembly and disassembly of regulatory complexes will be defined; in turn, the complexes will be probed to elucidate signaling and regulatory mechanisms, and to describe the syntax of gene regulatory circuits and networks.

The specific aims are to define key aspects of the structure, mechanisms, dynamics and combinatorial selectivities of IR regulatory complexes, and how they serve as nexus for integration of signaling pathways in regulatory networks. Five goals are envisioned: (1) define determinants of composition and architecture for assembly of IR regulatory complexes; (2) determine molecular mechanisms by which IR regulatory complexes modulate transcription; (3) determine wo small molecule ligands specify functional surfaces of IRs; (4) determine mechanisms of disassembly of IR regulatory complexes; (5) describe organizational and operating principles for IR-specific regulatory networks.

IRs have been implicated in a wide range of diseases and developmental disorders, including cancer, hyperlipidemia, hyperiension, and inflammation, and IR ligands are the most heavily prescribed therapeutics. Thus, understanding the principles and mechanisms of IR action has important implications for health, and for detecting, treating and curing disease.

A strategy for Specific Aims (and Research Design and Methods)

Our long term objectives are to define mechanisms of transcriptional regulation in metazoans, to understand how a regulatory factor specifies programs of gene expression as a function of developmental, cellular or physiological cues, and to determine operating principles of gene regulatory networks.

Our general strategy is to identify in cell lines and whole organisms genes that are directly regulated by members

Our general strategy is to identify in cell lines and whole organisms genes that are directly regulated by members of the intracellular receptor (IR) superfamily, which includes receptors for steroids and other small lipophilic ligands. By comparing the regulatory machinery at subsets of those target genes, we shall define determinants of selective assembly and disassembly of regulatory complexes, and in turn use that information to elucidate signaling and regulatory mechanisms, and to describe gene regulatory circuits and networks.

Our specific aims are to define key aspects of the structure, mechanisms, dynamics and combinatorial selectivities of IR regulatory complexes, and how they serve as nexus for integration of signaling pathways in regulatory networks. Five goals are envisioned:

- Define determinants of composition and architecture for assembly of IR regulatory complexes.
 We shall develop and refine novel principles and methodologies for comparative analyses of transcriptional
 regulatory complexes; specifically, we shall employ cell-based approaches to identify components and surfaces
 within complexes that lead to distinguishable functions and mechanisms.
- Determine molecular mechanisms by which IR regulatory complexes modulate transcription.
 We shall use molecular and cellular approaches in vito and biochemical approaches in vito to dissect and define multiple IR regulatory mechanisms at the molecular level, and to infer how crosstalk pathways modulate those mechanisms.

3. Determine how small molecule ligands specify functional surfaces of IRs.

We shall use molecular genetic, chemical, biochemical and biophysical approaches to identify novel IR ligands, to characterize allosteric effects of ligand-receptor interactions, and to determine the consequences of specific ligand binding on the localization and activities of regulatory complexes.

4. Determine mechanisms of disassembly of IR regulatory complexes.

We shall assess the role of IR regulatory complex dynamics in maintaining signal responsiveness, and develop genetic and biochemical approaches to the identification and mechanistic analysis of factors that effect disassembly.

5. Describe organizational and operating principles for IR-specific regulatory networks.

We shall determine by microarray analysis alterations of gene expression *C. elegans* in response to defects in IRs DAF-12 and NHR-49; we shall develop cellular assays to define regulatory mechanisms, and define circuit elements and network motifs using genetic and proteomic approaches.

An organizational approach for Research Design and Methods

1. Determine the effects of different core GR binding sequences on the conformation and/or dynamics of the GR-DBD.

Protein allostery involves two types of structural alteration-- conformational and dynamic [30,43,44]. In the conformational component, changes in shape either create or occlude functional surfaces, which may harbor enzymatic activities, sites for modification, or interaction surfaces for coregulatory factors....Thus, we shall use x-ray crystallography and NMR to study the conformation of the GR-DBD bound to different sequences, and NMR to study the dynamics of the bound receptor.

a. X-ray crystallography of GR-DBD bound to different GBSs

We know that GR binding sequences (GBSs) that differ by as little as a single base pair can produce differences in GR function (Section 7.C.2), implying the GBSs engage different allosteric paths. To examine the initial step in these paths, we wish to compare the structure of GR DBD on a set of distinct nativeoccurring GBSs.

Goal: To determine how different GBSs change the structure of GR-DBD

s: Our overall goal is to understand how changes in DNA sequences that direct both GR binding and regulatory activity impact the structure of the GR-DBD. In our initial screen we shall use the highest affinity site identified to ensure complex formation, Gha; three bona fide activating sequences that test the effect of variations...

As described in Section 7.C.3, we have obtained crystals and have derived well-refined models for five of the six positively acting GBSs tested. We expect to be able to distinguish distinct changes by comparing the other Site D variants as well; of particular interest will be mutations that affect regulatory efficacy....

untive approaches: Although positive GBSs have crystallized readily, the negative GREs, POMC and Oste, have not....Another concern is that structures obtained thus far have all come from very similar crystals (all C2 space group with very similar cell dimensions) that employ a minimal 16bp-binding site. The very similar crystal packing may impose some bias on the models. We shall explore this in two ways. First, using the most readily crystallized site, Sgk, we shall Should a crystal packing artifact be identified that cannot be overcome by changing the protein fragment or the DNA length, we shall pursue high-resolution structural determination using NMR....

A strategy for Background

- Not a review article; frame and rationalize the issues that you will approach in your study; emphasize impact.
 Include <u>underlined statements</u> of gaps in our current knowledge, which are addressed in your proposal.

B. BACKGROUND AND SIGNIFICANCE

[Underlined sentences describe gaps in existing knowledge that are approached in this proposal.]

Different IR-containing regulatory complexes confer distinct regulatory mechanisms. IRs can integrate signals from response elements and small molecules, giving rise to distinct functional consequences; moreover, IRs are also covalently modified (12), increasing the combinatorial scope of integration. The result is likely the differential assembly of IRs into distinct regulatory complexes. Like the IRs themselves, these complexes may be conceptualized as structural mosaics, displaying patterns of functional surfaces that produce a regulatory action (Section D.1.b). The presumed functional surfaces could correspond to one or more of three types of activities: an interacting surface for a target molecule, an enzymatic activity directed toward a target molecule, or a site for covalent modification (e.g., phosphorylation, acetylation, methylation, sumoylation, etc.) that affects the function of a linked interaction surface or enzymatic activity directed to a target. Finally, there are three general classes of molecular targets for regulatory complexes: components of the transcription complex (including factors that mediate coupled processes such as splicing), components of chromatin, or other regulatory factors or complexes. It is these targets, then, that serve as the effectors of the regulatory mechanisms. Although this combinatorial hierarchy is likely conceptually correct, the "rules" that give rise to a particular functional surface, the actual potential for components within complexes to create multiple patterns of functional surfaces, the number and variety of such patterns that may be created, and the relationship between functional patterns and molecular mechanisms of regulation have yet to be investigated

Continuous disassembly of regulatory complexes is essential for signaling. Although regulatory complexes assemble spontaneously and are quite stable *in vitro*, they are startlingly dynamic *in vivo*. Rates of transcription from GRactivated genes revert rapidly to basal upon hormone withdrawal (13), and a GRE *in vivo* releases one GR and is re-occupied by physiologic requirement that modulatory regulators must detect and respond to fluctuations in signal strength (15); that is, if regulatory complexes containing hormone-bound IRs were *stably* assembled at response elements, a decline in circulating ligand regulatory complexes containing normone-bound its were statily assembled at response elements, a decline in circulating figuration concentrations would go undetected. Indeed, it appears that molecular chaperones may drive the process of regulatory complex disassembly. That work, summarized in Section C.I.d, showed that two components of a major molecular chaperone complex, can disassemble IR:DNA and IR:coregulator interactions in vitro, and that they localize in vivo to genomic response elements in a hormone-dependent manner, disrupting receptor-mediated transcriptional activation in vivo and in vitro. In independent studies, Hager and coworkers suggested that the ATPase-containing subunit of the Swi/Snf chromatin remodeling complex appears to play a role in regulatory complex release from chromatin templates in vitro (16). How the disassembly activities of chaperone and chromatin remodeling complexes might be related is not known. More generally, the nature and composition of the factors responsible for disassembly, and the biochemical mechanisms that mediate disassembly, remain to be elucidated.

Feed Forward: a general scheme for writing grant applications

- -5. Choose three senior colleagues as your "grant committee"
- -4. Read Criteria for Rating of NIH Grant Applications
- -3. 'Feed forward 1': Discuss (1.5 hr) goals, aims, ideas with committee
- -2. Draft one page, 3-5 Specific Aims
- -1, 'Feed forward 2': Discuss (1.5 hr) with committee
- 1. Finalize Aims; draft Abstract and Research Design and Methods
- 2. Draft Background and Significance
- 3. Re-read Criteria for Rating of NIH Grant Applications
- 4. Seek feedback from committee

